


Apex 10' x 20' Truss System Dye Sub Printed



TEMPLATE IS @ 1/2 SCALE

Panels AX1 and AX3:
Total Graphic Area: 88.25" w x 87.75" h
Finished Size: 84.25" w x 83.75" h
Visual Size: 82.25" w x 81.75" h

Panels AX2:
Total Graphic Area: 88.25" w x 87.75" h
Finished Size: 84.25" w x 83.75" h
Visual Size: 84.25" w x 83.75" h
Template requires 1" bleed around the perimeter (2" around the perimeter when scaled to 200% and printed)

FS = Graphic is front side mounted
(3/4" w velcro is applied to the back of the panel)

BS = Graphic is back side mounted
(3/4" w velcro is applied to the front of the panel)

Notching = 7/8" square that is cut into the appropriate location.

Hinging = 3/4" strip of material that is created by notching the graphic. Allows two graphics to share the same extrusion corner.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size, 100-120ppi @ 100% size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

BS OR-G-AX1

— bleed area
— trim line

FS
OR-G-AX2

The image shows a technical drawing of a component, possibly a bracket or a mounting plate, within a dashed rectangular frame. The drawing includes several gray-shaded regions: a large rectangle at the top right, a vertical rectangle on the right side, and a horizontal line extending from the right edge. The text 'FS' and 'OR-G-AX3' is centered in the drawing area. A note in the bottom right corner explains that the gray areas represent obstructions.

FS
OR-G-AX3

gray area will
be obstructed
once finished
and mounted