


Polaris 10' x 20' Truss System Dye Sub Printed



TEMPLATE IS @ 1/2 SCALE

Panels PR1 and PR5:

Total Graphic Area: 53" w x 87.75" h

Finished Size: 49" w x 83.75" h

Panel PR2 and PR4:

Total Graphic Area: 51.75" w x 87.75" h

Finished Size: 47.75" w x 83.75" h

Panel PR3:

Total Graphic Area: 53.75" w x 87.75" h

Finished Size: 49.75" w x 83.75" h

Panel PR6:

Total Graphic Area: 98.5" w x 10" h

Finished Size: 94.5" w x 6" h

Template requires 1" bleed around the perimeter (2" around the perimeter when scaled to 200% and printed)

FS = Graphic is front side mounted
(3/4" w velcro is applied to the back of the panel)

BS = Graphic is back side mounted
(3/4" w velcro is applied to the front of the panel)

Notching = 7/8" square that is cut into the appropriate location.

Hinging = 3/4" strip of material that is created by notching the graphic. Allows two graphics to share the same extrusion corner.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size, 100-120ppi @ 100% size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

BS OR-G-PR1

— bleed area

— trim line

BS
OR-G-PR2

BS
OR-G-PR3

BS
OR-G-PR4

BS
OR-G-PR5

gray area will
be obstructed
once finished
and mounted

FS OR-G-PR6